

## **GOVERNMENT OF PAKISTAN**

## DIRECTORATE GENERAL CUSTOMS VALUATION CUSTOM HOUSE KARACHI

\*\*\*\*

**The Collectors of Customs,** Model Customs Collectorates, Appraisement (East/ West) / Port Qasim / Preventive), Karachi / Lahore (Appraisement/Preventive) / Multan / Islamabad / Sambrial(Sialkot) / Faisalabad / Hyderabad / Quetta/ Peshawar/ Gawadar/ Gilgit-Baltistan

## DETERMINATION OF CUSTOMS VALUES OF **TYRES & TUBES**UNDER SECTION 25-A OF THE CUSTOMS ACT, 1969

(VALUATION RULING NO. 985/2016)

No.Misc/08/2005-III

Dated: November. 30 2016

In exercise of the powers conferred under Section 25-A of the Customs Act, 1969. Customs values of Tyres & Tubes are determined as follows: -

- 2. **Background of the valuation issue:** Customs values of Tyres & Tubes were determined vide Valuation Ruling No.812/2016 dated 28.01.2016. The trade community has been demanding revision of prices of this commodity owing to downward trend in its prices in international market and in the light of order of Honorable Sindh High Court in CP 6918 dated 13.11.2015. Therefore, an exercise was undertaken to re-determine the customs value of the subject goods under Section 25A of the Customs Act, 1969.
- 3. Stakeholders' participation in determination of Customs values: A Meeting with stakeholders was held on 04.10.2016 which was attended by commercial importers including office bearers of Pakistan Tyre Importers and Dealers Association (PTIDA). All the participants had been requested to submit the following documents so that correct customs value could be determined:
  - i) Copy of G.D & invoices of imports during last three months showing factual value.
  - ii) Website names and E-mail addresses of known foreign manufacturers of the item in question through which the actual current value can be ascertained.
  - iii) Copy of Contracts made/ LCs opened during the last three months showing the values of the item in question.
  - iv) Copy of Sales Tax invoices issued during last three months showing the difference in price (excluding duty and taxes) to substantiate that the benefit of difference in price is passed on to the local buyers.

No substantial evidence was submitted by the stakeholders to support their claim.

Similarly, in order to ascertain the correct value, local market enquiry was conducted from Karachi market as well from Lahore through Directorate of Valuation, Lahore. The clearance Collectorates as well as importers of Indian origin tyres were asked to furnish the import

documents of consignments of tyres and tubes from India along with their B/Ls showing shipping bill number and date. No relevant data has been received from the clearance Collectorates thus far. One importer submitted a few relevant B/Ls showing shipping bill number and date. These were checked through *icegate.gov.in* and the worked out values was considered for determination of Indian origin tyres. An importer submitted representation for determination of customs values of Tractor Tyres of Belarus origin which has been given due consideration. The contentions of Pakistan Tyre Importers and Dealers Association (PTIDA) were accounted for wherever reasonable. The values of only those types of tyers have been notified which are frequently imported as evident from the clearance database.

- 6. Method adopted to determine customs values: Valuation methods given in Section 25 of the Customs Act, 1969 were applied sequentially to address the valuation issue in hand. Transaction value method under Sub-Section (1) of Section 25 of the Act, 1969, was found inapplicable because required information was not available as per law. Identical / similar goods value methods provided in Sub-Sections (5) & (6) of Section 25 ibid were examined for applicability to the valuation issue in the instant case which provided some reference values of the subject goods but the same could not be relied on due to variation in the same. Market enquiry as envisaged under Section 25(7) of the Customs Act, 1969 from Karachi market as well from Lahore through Directorate of Valuation, Lahore was conducted which provided some reference values. The computed method as provided under Section 25(8) of the Customs Act. 1969 could not be applied as the conversion costs from constituent material at the country of export were not available. Finally, import data available was analyzed and international prices from various sources on internet were also checked. All the information so gathered was evaluated and analyzed for the purpose of determination of customs values. Consequently, the customs values of Tyre and Tubes have been determined under Section 25(9) of the Customs Act, 1969.
- 7. **Customs Values of Tyres and Tubes:** Customs values of Tyres & Tubes *hereinafter specified*, shall be assessed to duty/taxes on the Customs values mentioned against them as Annex-"A" (Page 01 to 09), which forms integral part of this Valuation Ruling along with following conditions:-

ii)

iii)

iv)

- i) If a radial tyre is imported which is not covered in this Ruling and whose specifications are similar to normal tyre except for being radial, such tyres may be assessed at 25% higher than the normal tyre.
  - Where only tyres are imported, other than tubeless, deduction of 5% shall be allowed on Ruling value.
  - Value of tyres with different "Ply" shall be assessed by adding or subtracting from the determined value @ 5% Per Two Ply Rating.
  - Discount of 5% is admissible for import of Tyres & Tubes through Land Route on C&F values determined by this Directorate General.

In cases where declared/ transaction values are higher than the Customs values decrimined in this Ruling, the assessing officers shall apply those values in terms of Sub-Section (1) of Section 25 of the Customs Act, 1969. In case of import of tyres of specifications not were did not be assessed by the clearance collectorates under

Section 25 of the Customs Act, 1969 or the same may be forwarded to this Directorate General through WeBOC system under provisional assessment regime of section 81 of the Customs Act, 1969. In case of consignments imported by air, the assessing officer shall take into account the air freight while applying the Customs values determined in this Ruling.

- 9. **Validity of this Valuation Ruling:** The values determined vide this Ruling shall be the applicable Customs value for assessment of subject imported goods until and unless it is rescinded or revised by the competent authority in terms of Sub-Sections (1) or (3) of Section 25-A of the Customs Act, 1969.
- 10. **Revision of the value determined vide this Valuation Ruling:** A revision petition may be filed against this Ruling, as provided under Section 25-D of the Customs Act, 1969, within 30 days from the date of issue of this ruling, before the Director General, Directorate General of Customs Valuation, 7<sup>th</sup> Floor, Custom House, Karachi.
- 11. The Collectors of Customs may kindly ensure that the values given in this Valuation Ruling for the given description of goods are applied by the concerned staff without fail. Any anomaly observed may kindly be brought to the notice of Directorate General immediately. Customs values determined the ruling are for the description and specification as mentioned in the table above of this Ruling. HS Codes are mentioned for illustrative purpose so that valuation ruling values are made accessible to the assessing officers. The assessment shall be finalized on the basis of correct classification after fulfilling requisite formalities related to importability or any other certification required thereon. In addition to this, it is further necessary to verify that there is no mis-declaration of any sort or violation of Import Policy Order or Section 15 of the Customs Act, 1969 or any other law in vogue therein.

12. This ruling supersedes Valuation Ruling No.812/2016 dated 28/01.2016.

Dr. wasıı Alı iv Director

Copy for information to: -

- 1. Member (Customs), F.B.R., Islamabad.
- 2. Director General, Customs Valuation, Custom House, Karachi.
- 3. Chief Collector of Customs, South (Appraisement), Custom House, Karachi.
- 4. Chief Collector of Customs, South (Enforcement), Custom House, Karachi.
- 5. Chief Collector of Customs (Central), Lahore.
- 6. Chief Collector of Customs (North), Islamabad.
- 7. Director General, Intelligence and Investigation-FBR, Islamabad.
- 8. Director General, Audit (Customs & Petroleum), 1<sup>st</sup> Floor, PT&T Audit Building, Mauj-e-Darya Road, Lahore.
- 09. Director General, Post Clearance Audit (PCA), Islamabad.
- 10. Director General, Internal Audit (Customs), Karachi.
- 11. Directors, Intelligence & Investigation, Karachi / Lahore / Islamabad/ Quetta

Peshawar/ Faisalabad.

- 12. Director, Directorate of Customs Valuation (Camp Office), Lahore.
- 13. Deputy Director (HQ), Directorate General of Customs Valuation, Karachi, for uploading in One Customs & WeBOC database system and deleting Valuation Ruling No. 812/2016 dated 28.01.2016.
- 14. Chairman (Valuation Committee), FPCC&I, Federation House, Clifton, Karachi.
- 15. Chambers of Commerce & Industry, Karachi, Lahore, Islamabad, Hyderabad, Quetta
- 16. Law Section, Customs Valuation, 7<sup>th</sup> Floor, Custom House, Karachi. 17. Review Section, Customs Valuation, 7<sup>th</sup> Floor, Custom House, Karachi.
- 18. Karachi Customs Agents Group, Bohri Road, Karachi.
- 19. CHO, Customs Valuation, Custom House, Karachi.
- 20. Notice Board, Customs Valuation 7<sup>th</sup> Floor, Custom House, Karachi / MCC, Appraisement, 1<sup>st</sup> Floor, Custom House, Karachi.
- 21. Guard File.



## DIRECTORATE GENERAL OF CUSTOMS VALUATION GOVERNMENT OF PAKISTAN

CUSTOM HOUSE KARACHI
(Tyres and Tubes)
Annex-A to Valuation Ruling No: \$85/2016 Dated: 30-11-2016

		Proposed PCT for		R S		-	INT'L BRANDS			ALL	RELARIES
S. No	H.S.CODE	WeBOC	END USE	SIZE	TYRE SIZE	JAPAN	OTHER	INDIA	CHINA	ORIGINS	מרלא
4	٥	υ l	4	л	6	7	ORIGINS 8	9	10	11	12
۱	4011 1000	4011 1000 1010	PSS CAR	12	135/SR-12	14.28	12.86	12.86	10.00	12.14	
2	4011.1000	4011.1000.1020	PSS CAR	12	135/80-SR-12	14.28	12.86	12.86	10.00	12.14	
ω ) i	4011.1000	4011.1000.1030	PSS CAR	12	145/SR-12	16.70	15.03	15.03	11.69	14.20	
4	4011.2010	4011.2010.1010	LIGHT TRUCK	12	145-R12C-8PR	13.17	11.85	11.85	9.22	11.20	
5	4011.1000	4011.1000.1050	PSS CAR	12	145/70-SR-12	14.28	12.86	12.86	10.00	12.14	
6	4011.1000	4011.1000.1060	PSS CAR	12	155/SR-12	16.38	14.74	14.74	11.46	13.92	,
7	4011.1000	4011.1000.1070	PSS CAR	12	155/65-R-12	16.94	15.25	15.25	11.86	14.40	1
∞	4011.1000	4011.1000.1080	PSS CAR	12	155/70-R-12	18.24	16.42	16.42	12.77	15.50	1
9	4011.1000	4011.1000.1090	PSS CAR	12	155/80-R-12	19.01	17.11	17.11	13.31	16.16	1
10	4011.1000	4011.1000.1100	PSS CAR	12	155/85-D-12	13.68	12.31	12.31	9.58	11.63	
<u></u> 1	4011.1000	4011.1000.1110	PSS CAR	12	165/70-R-12	20.08	18.07	18.07	14.06	17.07	1
12	4011.1000	4011.1000.1120	PSS CAR	12	175/70-R-12	18.15	16.34	16.34	12.71	15.43	-
13	4011.1000	4011.1000.1130	PSS CAR	12	565-12-4PR	15.78	14.20	14.20	11.05	13.42	
14	4011.1000	4011.1000.1140	PSS CAR	12	595-12-4PR	18.41	16.57	16.57	12.89	15.65	
15	4011.1000	4011.1000.1150	PSS CAR	12	600-12-4PR	18.51	16.66	16.66	12.96	15./3	
16	4011.1000	4011.1000.1160	PSS CAR	13	145/95-D-13	18.40	16.56	16.56	12.88	15.64	1
17	4011.1000	4011.1000.1170	PSS CAR	13	155/SR-13	22.01	19.81	19.81	15.41	18./1	
18	4011.1000	4011.1000.1180	PSS CAR	13	155/65-R13	22.08	19.87	19.87	15.46	18.//	1
19	4011.1000	4011.1000.1190	PSS CAR	13	155/70-R13	24.82	22.33	22.33	17.3/	21.09	
20	4011.1000	4011.1000.1200	PSS CAR	13	155/80-D13	15.45	13.90	13.90	10.81	13.13	
21	4011.1000	4011.1000.1210	PSS CAR	13	155/80R-13	22.68	20.41	20.41	15.8/	15.27	
22	4011.1000	4011.1000.1220	PSS CAR	13	165/65-R13	17.80	16.02	16.02	12.46	15.13	****

							BRANDS		15	ALL	- Apple of the same
A 2 2	H S CODE	Proposed PCT for	END USE	RIM	TYRE SIZE	JAPAN	MFG IN	INDIA	CHINA	0	OTHER
		WeBOC		SIZE			ORIGINS			ORIGINS	SNIE
	4011.1000	4011.1000.1230	PSS CAR	13	165/SR13	17.56	15.80	15.80	12.29	14	14.92
	4011.1000	4011.1000.1240	PSS CAR	13	165/70-SR13	21.26	19.14	19.14	14.88	18.07	07
25	4011.1000	4011.1000.1250	PSS CAR	13	165/80-D13	15.72	14.15	14.15	11.01	13.37	37
	4011.1000	4011.1000.1260	PSS CAR	13	165/80-R13	20.17	18.15	18.15	14.12	17	17.14
	4011.1000	4011.1000.1270	PSS CAR	13	175/60-R13	27.07	24.36	24.36	18.95	23.01	01
28	4011 1000	4011.1000.1280	PSS CAR	13	175/70-R13	23.84	21.45	21.45	16.69	20.26	6
	4011.1000	4011.1000.1290	PSS CAR	13	185/60-R13	25.81	23.23	23.23	18.07	21.94	4
	4011 1000	4011.1000.1300	PSS CAR	13	185/70-R13	29.53	26.58	26.58	20.67	25.10	0
	4011.1000	4011 1000 1310	PSS CAR	13	195/60-R13	25.09	22.58	22.58	17.57	21.33	. 00
	4011 1000	4011.1000.1320	PSS CAR	13	205/60-R13	31.56	28.40	28.40	22.09	26.82	12
	4011.1000	4011.1000.1330	PSS CAR	13	225/60-R13	34.40	30.96	30.96	24.08	29.24	
	4011.1000	4011.1000.1340	PSS CAR	13	235/60-HR13	47.90	43.11	43.11	33.53	40.72	10
	4011.1000	4011 1000 1350	PSS CAR	13	560-13-4PR	15.50	13.95	13.95	10.85	13.18	
	4011 1000	4011.1000.1360	PSS CAR	13	615-13-4PR	13.42	12.08	12.08	9.39	11.41	
37	4011.1000	4011.1000.1370	PSS CAR	13	645-13-4PR	16.13	14.52	14.52	11.29	13.71	, : -
	4011.1000	4011.1000.1380	PSS CAR	14	155/65-R14	27.98	25.19	25.19	19.59	23.79	9
39	4011.1000	4011.1000.1390	PSS CAR	14	165/60-R14	20.98	18.88	18.88	14.68	17.83	i w
40	4011.1000	4011.1000.1400	PSS CAR	14	165/70-R14	20.98	18.88	18.88	14.68	17.83	) W
41	4011.1000	4011.1000.1410	PSS CAR	14	165/80-SR14	24.12	21.70	21.70	16.88	20.50	) C
42	4011:1000	4011.1000.1420	PSS CAR	14	175-SR14	28.73	25.86	25.86	20.11	24.42	) N
43	4011.1000	4011.1000.1430	PSS CAR	14	175/65-SR14	22.34	20.11	20.11	15.64	18.99	1 0
44	4011.1000	4011.1000.1440	PSS CAR	14	175/65-R14	21.25	19.13	19.13	14.88	18.07	>
45	4011.1000	4011.1000.1450	PSS CAR	14	175/70-R14	25.75	23.17	23.17	18.02	21.89	) : (
46	4011.1000	4011.1000.1460	PSS CAR	14	175/80-R14	26.85	24.17	24.17	18.80	22.82	N
47	4011.1000	4011.1000.1470	PSS CAR	14	185/SR14	26.87	24.18	24.18	18.81	22.84	4
48	4011.1000	4011.1000.1480	PSS CAR	14	185/50-R14	24.84	22.35	22.35	17.38	21.11	)
49	4011.1000	4011.1000.1490	PSS CAR	14	185/55-R14	30.93	27.84	27.84	21.65	26.29	1 : 0
50	4011.1000	4011.1000.1500	PSS CAR	14	185/60-R14	37.47	33.72	33.72	26.23	31.85	1 0
51	4011.1000	4011.1000.1510	PSS CAR	14	185/65-R14	30.88	27.79	27.79	21.62	26.25	5
52	4011.1000	4011.1000.1520	PSS CAR	14	185/70-R14	31.68	28.51	28.51	1:1-	26.9	1 63
)		4011 1000 1530	PSS CAR	14	185/80-R14	29.10	26.19	26.19	20.37	24.,	û

S. No	H.S.CODE	Proposed PCT for WeBOC	END USE	RIM	TYRE SIZE	JAPAN	BRANDS MFG IN OTHER	INDIA	CHINA	유 0	ALL OTHER ORIGINS
	1000	1011 1000 1540	PSS CAR	14	185/85-R14	26.20	ORIGINS 23.58	23.58	18.34		22.27
54	4011.1000	4011.1000.1540	PSS CAR	14	185/85-R14 195/70-R14	39 00	35.10	35.10	27.30		33.15
د ر 25	4011.1000	4011.1000.1550	PSS CAR	14	195/60-HR14	31.35	28.22	28.22	21.95		26.65
57	4011.1000	4011.1000.1570	PSS CAR	14	195/65-R14	34.45	31.01	31.01	24.12		29.29
28	4011.1000	4011.1000.1580	PSS CAR	14	205/60-R14	31.95	28.75	28.75	22.36		27.16
59	4011.1000	4011.1000.1590	PSS CAR	14	205/70-HR14	26.88	24.19	24.19	18.82		22.85
60	4011.1000	4011.1000.1600	PSS CAR	14	245/50-HR14	52.56	47.30	47.30	36.79		44.68
61	4011.1000	4011.1000.1610	PSS CAR	14	750-14-6PR	30.08	27.07	27.07	21.05		25.57
62	4011.1000	4011.1000.1620	PSS CAR	15	185/55-R15	33.58	30.22	30.22	23.51		28.54
63	4011.1000	4011.1000.1630	PSS CAR	15	185/60-R15	28.26	25.44	25.44	19.78		24.02
64	4011.1000	4011.1000.1640	PSS CAR	15	185/80-R15	31.56	28.41	28.41	22.10	1	26.83
65	4011.1000	4011.1000.1650	PSS CAR	15	195/45-R15	29.38	26.44	26.44	20.56	1	24.97
99	4011.1000	4011.1000.1660	PSS CAR	15	195/50-R15	29.38	26.44	26.44	20.56		24.97
67	4011.1000	4011.1000.1670	PSS CAR	15	195/55-R15	29.38	26.44	26.44	20.56	Ĭ	24.97
89	4011.1000	4011.1000.1680	PSS CAR	15	195/60-HR15	35.14	31.62	31.62	24.60		29.87
69	4011.1000	4011.1000.1690	PSS CAR	15	195/65-R15	34.32	30.89	30.89	24.02		29.17
70	4011.1000	4011.1000.1700	PSS CAR	15	205/60-R15	43.36	39.03	39.03	30.35		36.86
71	4011.1000	4011.1000.1710	PSS CAR	15	205/65-R15	44.92	40.43	40.43	31.44		38.18
72	4011.1000	4011.1000.1720	PSS CAR	15	205/70-R15	39.50	35.55	35.55	27.65		33.58
73	4011:1000	4011.1000.1730	PSS CAR	15	215/75R15	46.10	41.49	41.49	32.27		39.18
74	4011.1000	4011.1000.1740	PSS CAR	15	215/80-R15	42.77	38.49	38.49	29.94		36.35
75	4011.1000	4011.1000.1750	PSS CAR	15	225/70-R15	64.61	58.15	58.15	45.23		54.92
76	4011.1000	4011.1000.1760	PSS CAR	15	225/75-R15	70.51	63.46	63.46	49.36		59.94
77	4011.1000	4011.1000.1770	PSS CAR	15	235/60-R15	45.58	41.02	41.02	31.91		38.74
78	4011.1000	4011.1000.1780	PSS CAR	15	185/65-R15	24.39	21.95	21.95	17.08	1	20.73
79	4011.1000	4011.1000.1790	PSS CAR	15	275/60-HR15	55.49	49.94	49.94	38.84		47.16
80	4011.1000	4011.1000.1800	PSS CAR	16	195/45-R16	31.50	28.35	28.35	22.05		26.77
81	4011.1000	4011.1000.1810	PSS CAR	16	195/55-R16	32.55	29.30	29.30	22.79	÷	27.67
82	4011.1000	4011.1000.1820	PSS CAR	16	195/60-R16	32.55	29.30	29.30	22.79	*******	27.67
83	4011.1000	4011.1000.1830	PSS CAR	16	205/50-ZR16	35.70	32.13	32.13	24.99		30.35
2	2000	4011 1000.1840	PSS CAR	16	205/50-R16	41.41	37.27	37.27	28.99		35.20

							INT'L		25	ALL	
S. No	H.S.CODE	Proposed PCT for	END USE	RIM	TYRE SIZE	JAPAN	MFG IN	INDIA	CHINA	OTHER	BELARUS
		WeBOC	AND COURT OF COURT OF	SIZE			ORIGINS			ORIGINS	
285	4011.1000	4011.1000.1850	PSS CAR	16	205/55-R16	41.82	37.64	37.64	29.27	35.54	
98	4011.1000	4011.1000.1860	PSS CAR	16	205/60-R16	49.16	44.25	44.25	34.41	41.79	
87	4011.1000	4011.1000.1870	PSS CAR	16	215/55-ZR16	45.89	41.30	41.30	32.12	39.00	
8	4011.1000	4011.1000.1880	PSS CAR	16	215/60-R16	49.56	44.61	44.61	34.70	42.13	
89	4011.1000	4011.1000.1890	PSS CAR	16	225/55-ZR16	41.41	37.27	37.27	28.99	35.20	
90	4011.1000	4011.1000.1900	PSS CAR	16	225/60-R16	52.46	47.22	47.22	36.72	44.59	
91	4011.1000	4011.1000.1910	PSS CAR	16	225/75-R16	79.45	71.50	71.50	55.61	67.53	
92	4011.1000	4011.1000.1920	PSS CAR	16	235/60-ZR16	71.62	64.45	64.45	50.13	60.87	
93	4011.1000	4011.1000.1930	PSS CAR	16	245/75-R16	75.00	67.50	67.50	52.50	63.75	
94	4011.1000	4011.1000.1940	PSS CAR	17	205/40-ZR17	45.65	41.08	41.08	31.95	38.80	
95	4011.1000	4011.1000.1950	PSS CAR	17	205/50-ZR17	48.13	43.32	43.32	33.69	40.91	
96	4011.1000	4011.1000.1960	PSS CAR	17	205/70-ZR17	43.72	39.35	39.35	30.60	37.16	
97	4011.1000	4011.1000.1970	PSS CAR	17	215/40-ZR17	44.77	40.30	40.30	31.34	38.06	
98	4011.1000	4011.1000.1980	PSS CAR	17	215/45-ZR17	45.89	41.30	41.30	32.12	39.00	
99	4011.1000	4011.1000.1990	PSS CAR	17	215/50-ZR17	40.96	36.87	36.87	28.67	34.82	
100	4011.1000	4011.1000.2000	PSS CAR	17	225/45-ZR17	68.91	62.02	62.02	48.24	58.57	
101	4011.1000	4011.1000.2010	PSS CAR	17	225/50-ZR17	47.90	43.11	43.11	33.53	40.72	
102	4011.1000	4011.1000.2020	PSS CAR	17	225/55-ZR17	76.32	68.69	68.69	53.42	64.87	
103	4011.1000	4011.1000.2030	PSS CAR	18	225/40-ZR18	68.28	61.45	61.45	47.79	58.03	
104	4011:1000	4011.1000.2040	PSS CAR	18	225/45-ZR18	44.16	39.74	39.74	30.91	37.54	
105	4011.1000	4011.1000.2050	PSS CAR	18	245/45-ZR18	49.62	44.66	44.66	34.74	42.18	
106	4011.2010	4011.2010.1020	LIGHT TRUCK	10	480-10/500-10/8PR	11.86	10.67	10.67	8.30	10.08	
107	4011.2010	4011.2010.1030	LIGHT TRUCK	12	450-12-8PR	12.83	11.54	11.54	8.98	10.90	
108	4011.2010	4011.2010.1040	LIGHT TRUCK	12	500-12-6PR	14.44	13.00	13.00	10.11	12.27	
109	4011.2010	4011.2010.1050	LIGHT TRUCK	12	500-12-8PR	16.15	14.54	14.54	11.31	13.73	
110	4011.2010	4011.2010.1060	LIGHT TRUCK	13	600-13-8PR	16.07	14.47	14.47	11.25	13.66	
111	4011.2010	4011.2010.1070	LIGHT TRUCK	14	185/R14-8PR	31.22	28.10	28.10	21.85	26.53	
112	4011.2010	4011.2010.1080	LIGHT TRUCK	14	185/75R14-8PR	31.22	28.10	28.10	21.85	26.53	
113	4011.2010	4011.2010.1090	LIGHT TRUCK	14	195/R14-8PR	38.00	34.20	34.20	26.60	32.30	
114	4011.2010	4011.2010.1100	LIGHT TRUCK	14	195/75-R14-8PR	32.90	29.61	29.61	23.03	27.96	.,
ا د ا د		7011 2010 1110	TOUT TRILLY	14	205/R14-8PR	35.53	31.98	31.98	24.87	30.20	

116 117 118 119 120 121 122 123 124 125 126 127 128 129 130 131 133 133	4011.2010 4011.2010	4011.2010.1120 4011.2010.1130 4011.2010.1140 4011.2010.1150 4011.2010.1160 4011.2010.1170 4011.2010.1190 4011.2010.1190 4011.2010.1200 4011.2010.1220 4011.2010.1220 4011.2010.1220 4011.2010.1230 4011.2010.1250 4011.2010.1250 4011.2010.1250 4011.2010.1250 4011.2010.1290 4011.2010.1280 4011.2010.1300 4011.2010.1300	LIGHT TRUCK	14 14 14 15 15 15 15 15 15	650-14-8PR 650-14-8PR 650-14-10PR 650-14-10PR 670-14-8PR 1195-R15 10-R15-6PR 11-R150-6PR 115/70-R15C 205/R15-8PR 205/R15-8PR 215/75R15-6PR 235/75R15-6PR 235/75-R15 30X9.50-R15-6PR 31X10.50-R15-6PR 31X10.50-R15-6PR 31X10.50-R15-6PR	17.69 23.75 23.75 24.23 40.85 56.62 35.06 35.06 39.90 43.04 45.57 46.14 71.87 56.05 57.67 58.66 59.71 30.50 37.57	0RIGINS 15.92 11.92 21.38 21.38 21.55 21.80 36.77 51.18 50.96 31.56 31.56 31.56 31.56 31.56 35.91 38.73 41.01 41.53 64.68 50.45 51.90 51.90 52.80 52.80 53.74 27.45 38.56	15.92 21.38 21.55 21.80 36.77 51.18 50.96 31.56 31.56 38.73 41.01 41.53 64.68 50.45 51.90 52.80 52.80 53.74 27.45 33.56	12.38 16.63 16.63 16.96 28.60 39.81 39.63 24.55 27.93 30.12 31.90 32.30 50.31 39.24 40.37 41.06 41.80 21.35 26.30 29.99	15.04 20.19 20.19 20.35 20.59 34.72 48.34 48.13 29.80 33.92 36.58 38.74 39.22 61.09 47.64 49.02 49.02 49.02 50.75 50.75 25.92 36.42
25	4011.2010	4011.2010.1210	LIGHT TRUCK	15 15	205/R15-8PR 215/R15-8PR	43.04 45.57	38.73 41.01	38.73 41.01	30.12 31.90	36.58 38.74
127	4011.2010	4011.2010.1230	LIGHT TRUCK	15		46.14	41.53	41.53	32.30	39.22
128	4011.2010	4011.2010.1240	LIGHT TRUCK	15		71.87	64.68	64.68	50.31	61.09
.29	4011.2010	4011.2010.1250	LIGHT TRUCK	15	265/70-R15	56.05	50.45	50.45	39.24	47.64
31	4011.2010	4011.2010.1270	LIGHT TRUCK	15	30X9.50-R15-6PR	58.66	52.80	52.80	41.06	49.86
32	4011.2010	4011.2010.1280	LIGHT TRUCK	15	31X10.50-R15-6PR	59.71	53.74	53.74	41.80	50.75
33	4011.2010	4011.2010.1290	LIGHT TRUCK	15	600-15-8PR	30.50	27.45	27.45	21.35	25.92
.34	4011.2010 4011.2010	4011.2010.1300 4011.2010.1310	LIGHT TRUCK	15 15	700-15-8PR 750-15-12PR	37.57 42.85	33.82	33.82	26.30 29.99	31.94 36.42
136	4011.2010	4011.2010.1320	LIGHT TRUCK	15	9-R15-6PR	48.79	43.91	43.91	34.15	41.47
137 138	4011.2010 4011.2010	4011.2010.1330 4011.2010.1340	LIGHT TRUCK	15	GR-/8-15 H-78-15-6PR	38.12	34.31	34.31	26.69 27.19	33.01
139	4011.2010	4011.2010.1350	LIGHT TRUCK	16	205/80-R16-6PR	44.00	39.60	39.60	30.80	37.40
140	4011.2010	4011.2010.1360	LIGHT TRUCK	16	205/R16-6PR	46.27	41.64	41.64	32.39	39.33
141	4011.2010		LIGHT TRUCK	16	215/80-R16	43.99 62.02	39.59	39.59	30./9	37.39 52.71
143	4011.2010	4011.2010.1390		16	245/70-R16	60.57	54.51	54.51	42.40	51.49
2	4011.2010			16	265/70-R16	64.63	58.17	58.17	45.24	54.93
144				ر د		71.48	64.33	64.33	50.03	60.76
144	4011.2010	4011.2010.1410	LIGHT TRUCK	D	275/70-R16					

Van

							The state of the s	1			
1	7.05	×	7.05	r	×	325-16-6PR	16	MOTOR CYCLE	4011.4000.1060	4011.4000	176 4
ī	6.74	×	6.74	1	×	300-16-4PR		MOTOR CYCLE	4011.4000.1050	4011.4000	175 4
,	4.11	×	4.11		×	350-10-4PR	10	SCOOTER	4011.4000.1040	4011.4000	174 4
	2.91	×	2.91	1	×	350-8-2PR		SCOOTER	4011.4000.1030	4011.4000	173 2
	3.64	×	••••••	1	×	350-8-4PR		SCOOTER	4011.4000.1020	4011.4000	72 4
1000円	2.35	×	2.35	1	×	300-8-4PR		SCOOTER	4011.4000.1010	4011.4000	71 4
	152.47	125.57	161.44	161.44	179.38	12-R22.5-18PR	22	TRUCK / BUS	4011.2090.1140	4011.2090	170 2
	123.33	101.57	130.58	130.58	145.09	900-R20-14PR	20	TRUCK / BUS	4011.2090.1130	4011.2090	169 4
,	98.60	81.20	104.40	104.40	116.00	900-20-14PR	20	TRUCK / BUS	4011.2090.1120	4011.2090	168 2
-	80.75	66.50	85.50	85.50	95.00	825-20-14PR	20	TRUCK / BUS	4011.2090.1110	4011.2090	167 4
1	235.14	193.65	248.98	248.98	276.64	1400-20-20PR	20	TRUCK / BUS	4011.2090.1100	4011.2090	166 2
Đ.	182.69	150.45	193.44	193.44	214.93	1200-R20-18PR	20	TRUCK / BUS	4011.2090.1090	4011.2090	165 2
1	159.89	131.67	169.29	169.29	188.10	1200-20-18PR	20	TRUCK / BUS	4011.2090.1080	4011.2090	164 4
ı	166.81	137.37	176.62	176.62	196.24	1100-R20-18PR	20	TRUCK / BUS	4011.2090.1070	4011.2090	163 ′
1	144.50	119.00	153.00	153.00	180.00	1100-R20-16PR	20	TRUCK / BUS	4011.2090.1060	4011.2090	162 ′
9	115.60	95.20	122.40	122.40	136.00	1100-20-16PR	20	TRUCK / BUS	4011.2090.1050	4011.2090	161 '
1	140.25	115.50	148.50	148.50	165.00	1000-R20-16PR	20	TRUCK / BUS	4011.2090.1040	4011.2090	160 '
ı	112.20	92.40	118.80	118.80	132.00	1000-20-16PR	20	TRUCK / BUS	4011.2090.1030	4011.2090	159 '
0	87.09	71.72	92.21	92.21	102.46	825/R20-16PR		TRUCK / BUS	4011.2090.1020	4011.2090	158 '
ī	57.14	47.06	60.50	60.50	67.22	215/75R 17.5-16PR	17	LIGHT TRUCK	4011.2010.1530	4011.2010	157 '
,	72.39	60.00	76.65	76.65	85.17	825-R16-16PR		LIGHT TRUCK	4011.2010.1520	4011.2010	156 ,
	60.34	49.69	63.89	63.89	70.98	825-16-14PR	16	LIGHT TRUCK	4011.2010.1510	4011.2010	155 ,
,	45.20	37.22	47.85	47.85	53.17	825-15-14PR	16	LIGHT TRUCK	4011.2010.1500	4011.2010	154
Ţ	55.25	45.50	58.50	58.50	65.00	750-R16-14PR	16	LIGHT TRUCK	4011.2010.1490	4011.2010	153
	44.20	36.40	46.80	46.80	52.00	750-16-14PR	16	LIGHT TRUCK	4011.2010.1480	4011.2010	152
ı	47.88	39.43	50.70	50.70	56.34	700-R16-12PR	16	LIGHT TRUCK	4011.2010.1470	4011.2010	151
1	46.03	37.91	48.74	48.74	54.15	700-R16-10PR	16	LIGHT TRUCK	4011.2010.1460	4011.2010	150
7	31.23	25.72	33.07	33.07	36.75	700-16-8PR	16	LIGHT TRUCK	4011.2010.1450	4011.2010	149
1	32.70	26.93	34.63	34.63	38.48	700-16-12PR	16	LIGHT TRUCK	4011.2010.1440	4011.2010	148
ı	37.05	30.51	39.23	39.23	43.59	650-R16-10PR	16	LIGHT TRUCK	4011.2010.1430	4011.2010	147
	ORIGINS			ORIGINS							
BELARUS	OTHER	CHINA	INDIA	MFG IN	JAPAN	TYRE SIZE	SIZE	END USE	WeBOC	H.S.CODE	S. No
	ALL			BRANDS			R		Proposed PCT for		:

	Χ,			<		16 E /B 30 C BB	00	AGBICIII TI IBE	4011 6100 1210	A011 6100	7: 80
1	132.15	×		×		13.6/12-38-6PR	38	AGRICULTURE	4011.6100.1200	4011.6100	207 2
-	128.11	×	128.11 )	×	×	13.6/12-36-6PR	36	AGRICULTURE	4011.6100.1190	4011.6100	206 2
287.00	277.00	×		×		18.4/15-30-12PR	30	AGRICULTURE	4011.6100.1180	4011.6100	205 2
	264.05	217.46	279.59	279.59	310.65	18.4/15-30-10PR	30	AGRICULTURE	4011.6100.1170	4011.6100	204 2
-	251.10	206.80	265.61	265.61	295.12	18.4/15-30-8PR	30	AGRICULTURE	4011.6100.1160	4011.6100	203 2
1/8	221.00	180.00	238.00	238.00	260.00	16.9/14-30-8PR	30	AGRICULTURE	4011.6100.1150	4011.6100	202 4
i.c.	204.30	168.25	216.32	216.32	240.35	16.9/14-30-6PR	30	AGRICULTURE	4011.6100.1140	4011.6100	201 ′
	280.67	×	280.67		×	16.9/14-28-8PR	28	AGRICULTURE	4011.6100.1130	4011.6100	200 '
	150.00	×	152.00	1	×	14.6/13-28-6PR	28	AGRICULTURE	4011.6100.1120	4011.6100	199 '
	138.00	110.00	138.00	1	155.00	13.6/12-28-6PR	28	AGRICULTURE	4011.6100.1110	4011.6100	198
-	127.59	102.00	130.00	131.00	145.00	12.4/11-28-6PR	28	AGRICULTURE	4011.6100.1100	4011.6100	197
1	68.52	×		- ×	×	12.4/11-24-6PR	24	AGRICULTURE	4011.6100.1090	4011.6100	196 '
66.81	55.00	×	55.00		×	900-R20-6PR	20	AGRICULTURE	4011.6100.1080	4011.6100	195 '
45.60	40.00	32.05	40.00	41.21	45.79	750-20-6PR	20	AGRICULTURE	4011.6100.1070	4011.6100	194 ,
	34.70		36.74	36.74	40.82	650-20-6PR	20	AGRICULTURE	4011.6100.1060	4011.6100	193
-	36.00	×	36.00		×	750-16-6PR	16	AGRICULTURE	4011.6100.1050	4011.6100	192
45.60	×			×	×	750-16-4PR	16	AGRICULTURE	4011.6100.1040	4011.6100	191
63.00		×			×	650-16-8PR	16	AGRICULTURE	4011.6100.1030	4011.6100	190
2	21.62	×		1	×	600-16-6PR	16	AGRICULTURE	4011.6100.1020	4011.6100	189
'	16.93	13.94	17.92	17.92	19.91	550-16-6PR	16	AGRICULTURE	4011.6100.1010	4011.6100	į
	7.13	×	i.		*	375-21-4PR	21	MOTOR CYCLE	4011.4000.1170	4011.4000	į
,	8.17	×		,	×	375-19-4PR	19	MOTOR CYCLE	4011.4000.1160	4011.4000	186
7	6.94	×	6.94	1	×	275-19-4PR	19	MOTOR CYCLE	4011.4000.1150	4011.4000	185
	7.76	×	7.76		×	350-18-4PR	18	MOTOR CYCLE	4011.4000.1140	4011.4000	184
_	7.29	×	7.29	ı	×	300-18-4PR	18	MOTOR CYCLE	4011.4000.1130	4011.4000	183
1	6.17	×			×	275-18-4PR	18	MOTOR CYCLE	4011.4000.1120	4011.4000	182
	4.39	×		1	×	250-18-4PR	18	MOTOR CYCLE	4011.4000.1110	4011.4000	181
-	6.80	×	6.80	1	×	300-17-4PR	17	MOTOR CYCLE	4011.4000.1100	4011.4000	180
~	4.31	×			×	250-17-4PR	17	MOTOR CYCLE	4011.4000.1090	4011.4000	179
9	3.22	×	3.22		×	225-17-4PR	17	MOTOR CYCLE	4011.4000.1080	4011.4000	178
	ORIGINS	Secretary (1984)	A	OTHER ORIGINS							
BELARUS	OTHER BE	CHINA	INDIA	MFG IN	JAPAN	TYRE SIZE	RIM	END USE	Proposed PCT for WeBOC	H.S.CODE	S. No
	>										

	2,044.65	1,683.83	2,164.92	2,164.92	2,405.47	23-5R-25-24PR	25	EARTH MOVER	4011.9900.1260	4011.9900	
1		: W	1,493.13	1,493.13	1,659.03	23-5-25-24PR	25	EARTH MOVER	4011.9900.1250	4011.9900	238
	932.54	767.97	987.39	987.39	1,097.10	20-5-25-12PR	25	EARTH MOVER	4011.9900.1240	4011.9900	237
	1,080.36	889.71	1,143.91	1,143.91	1,271.02	1800-R25-32PR	25	EARTH MOVER	4011.9900.1230	4011.9900	236
1	760.70	626.46	805.45	805.45	894.94	1800-25-32PR	25	EARTH MOVER	4011.9900.1220	4011.9900	235
t	310.10	255.38	328.34	328.34	364.83	17-5-25-12PR	25	EARTH MOVER	4011.9900.1210	4011.9900	
1	833.88	686.73	882.94	882.94	981.04	16-R25-28PR	25	EARTH MOVER	4011.9900.1200	4011.9900	233
71	585.34	482.05	619.77	619.77	688.64	1600/25-28PR	25	EARTH MOVER	4011.9900.1190	4011.9900	
я	317.16	261.19	335.82	335.82	373.13	15.5-25-12PR	25	EARTH MOVER	4011.9900.1180	4011.9900	
1	396.71	326.70	420.04	420.04	466.71	1400-25-24PR	25	EARTH MOVER	4011.9900.1170	4011.9900	230
ı	287.80	237.01	304.73	304.73	338.58	16-9-24-10PR	24	EARTH MOVER	4011.9900.1160	4011.9900	
- Townson	366.96	302.20	388.55	388.55	431.72	1400-24-20PR	24	EARTH MOVER	4011.9900.1150	4011.9900	,
10	206.12	169.75	218.25	218.25	242.50	1300-24-12PR	24	EARTH MOVER	4011.9900.1140	4011.9900	
2/0	91.89	75.67	97.29	97.29	108.10	825R15-18PR	15	INDUSTRIAL	4011.9900.1130	4011.9900	226
元数是	46.86	38.59	49.62	49.62	55.13	550-15-8PR	15	INDUSTRIAL	4011.9900.1120	4011.9900	
	100.71	82.94	106.64	106.64	118.48	28X9-15-12PR	15	INDUSTRIAL	4011.9900.1110	4011.9900	224
8	38.64	31.82	40.91	40.91	45.46	700-12-12PR-UL	12	INDUSTRIAL	4011.9900.1100	4011.9900	
-	76.12	62.69	80.60	80.60	89.56	700-12-12PR-JL	12	INDUSTRIAL	4011.9900.1090	4011.9900	
1	45.91	37.81	48.62	48.62	54.02	750-10-12-PR	10	INDUSTRIAL	4011.9900.1080	4011.9900	
	56.04	46.15	59.34	59.34	65.93	650-10-10PR	10	INDUSTRIAL	4011.9900.1070	4011.9900	
ī	24.31	20.02	25.74	25.74	28.60	600-9-10PR UL	9	INDUSTRIAL	4011.9900.1060	4011.9900	219 '
	29.21	24.05	30.93	30.93	34.36	600-9-10PR JL	9	INDUSTRIAL	4011.9900.1050	4011.9900	
1	62.77	51.69	66.46	66.46	73.84	21X8-9-10PR	9	INDUSTRIAL	4011.9900.1040	4011.9900	
	18.77	15.46	19.88	19.88	22.09	500-8-8PR-UL	∞	INDUSTRIAL	4011.9900.1030	4011.9900	
	22.57	18.59	23.90	23.90	26.55	500-8-8PR-JL	8	INDUSTRIAL	4011.9900.1020	4011.9900	
- 0	42.72	35.18	45.23	45.23	50.26	18X7.8-14PR	8	INDUSTRIAL	4011.9900.1010	4011.9900	
	5.47	×	5.47	×	×	400-8-6PR	8	RICKSHAW	4011.9900.1010	4011.9900	
261.00	225.00	×	×	×	×	16.9/14-38-8PR	38	AGRICULTURE	4011.6100.1250	4011.6100	
	215.00	×	215.00	×	×	16.9/14-38-6PR	38	AGRICULTURE	4011.6100.1240	4011.6100	
180.00	178.00	×	×		×	15.5-38-8PR	38	AGRICULTURE	4011.6100.1230	4011.6100	
,	173.84	143.16	184.06	184.06	204.52	15.5-38-6PR	38	AGRICULTURE	4011.6100.1220	4011.6100	209 4
	ORIGINS			ORIGINS			SIZE		WeBUC		- 1
BELARUS	OTHER	CHINA	INDIA	MFG IN	JAPAN	TYRE SIZE	RIM	END USE	Proposed PCT for	H.S.CODE	S. No

06)

				110	3			ると			
				11/11/8	4	l		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \			
	0.79	×	×	N.	× V	375-18	18	M.CYCLE TUBE	4013.9020.1070 /	4013.9020	257
	0.70	×	×	×	×	250-18	18	M.CYCLE TUBE	4013.9020.1060	4013.9020	256
5	0.79	×	×	×	×	300-17	17	M.CYCLE TUBE	4013.9020.1050	4013.9020	255
1	0.67	×	×	×	×	225/250-17	17	M.CYCLE TUBE	4013.9020.1040	4013.9020	254
	0.78	×	×	×	×	300-16	16	M.CYCLE TUBE	4013.9020.1030	4013.9020	253
1	0.79	×	×	×	×	3.50-10	10	M.CYCLE TUBE	4013.9020.1020	4013.9020	252
	0.62	×	×	×	×	3.50/4.00.8	∞	M.CYCLE TUBE	4013.9020.1010	4013.9020	
,	5,810.88	4,785.43	6,152.70	6,152.70	6,836.33	45/65-45-38PR	45	EARTH MOVER	4011.9900.1370	4011.9900	250
1	1,680.76	1,384.16	1,779.63	1,779.63	1,977.37	21.00-35-32PR	35	EARTH MOVER	4011.9900.1360	4011.9900	
9	2,438.39	2,008.08	2,581.82	2,581.82	2,868.69	35/65-33-24PR	33	EARTH MOVER	4011.9900.1350	4011.9900	
	1,804.06	1,485.70	1,910.18	1,910.18	2,122.42	335-33-20PR	33	EARTH MOVER	4011.9900.1340	4011.9900	247
1	2,009.08	1,654.53	2,127.26	2,127.26	2,363.62	1800-R33-32PR	33	EARTH MOVER	4011.9900.1330	4011.9900	
	887.16	730.60	939.34	939.34	1,043.72	1800-33-28PR	33	EARTH MOVER	4011.9900.1320	4011.9900	245
0	1,393.58	1,147.65	1,475.56	1,475.56	1,639.51	29-5-29-28PR	29	EARTH MOVER	4011.9900.1310	4011.9900	244
1	411.98	339.28	436.21	436.21	484.68	23-1-26-8PR	26	EARTH MOVER	4011.9900.1300	4011.9900	243
	1,115.50	918.65	1,181.12	1,181.12	1,312.35	29-5-25-22PR	25	EARTH MOVER	4011.9900.1290	4011.9900	242
	908.84	748.46	962.30	962.30	1,069.22	26-5-25-20PR	25	EARTH MOVER	4011.9900.1280	4011.9900	241
1	1,474.93	1,214.65	1,561.69	1,561.69	1,735.21	26-5R-25-28PR	25	EARTH MOVER	4011.9900.1270	4011.9900	240
				ORIGINS				***			
BELARUS	ORIGINS	CHINA	INDIA	MFG IN	JAPAN	TYRE SIZE	SIZE	END USE	WeBOC	H.S.CODE	S. No
	ALL			BRANDS			B				
				NT'L							

(Nasir Mehmood)
Valuation Officer
Valuation Officer
(Nausheen Riaz Khan)
Deputy Director

(Dr. Wasif Mi Memon

Director

Additional Director

(Mumtal Ali Khoso)

Appraiser